



# THE EASY WAY TO COMMUNICATE

## VISUAL IDENTITY

VERSION 1\_07SEP2021

VERSION 2\_04SEP2024 : RÖD OCH BLÅ FÄRG HAR JUSTERATS



The FireSeal system originally developed to safeguard nuclear power plants

# INTRODUCTION

FireSeal was started 1981. We were commissioned by the Swedish Government to develop a system for fire sealing Sweden's nuclear power plants. Today, FireSeal is active in both the land and marine sectors. Customers are found all over the world.

## LOGOTYPE

The logo is downloadable in .svg, .pdf and .png.

## COLORS

The only colors we use

## TYPOGRAPHY

The only typography we used and were you find it

## OFFICE

The only typography we used in office programs

## FEELING

## PICTURES

## CONTACT

# LOGOTYPE

The **standing logo** has no maximum size, but it must never be less than 10 mm width. The logo is available in three versions. It must not be manipulated in any way, with regards to either form or color.



The **laying logo** has no maximum size, but it must never be less than 15 mm width. The logo is available in three versions. It must not be manipulated in any way, with regards to either form or color.



The **free space** is the smallest surface or margin which must be left empty around the logo. Within this surface, no objects may interfere with the clear expression of the logo. The free space may be larger, but never smaller. The size of the free space is dynamic – it follows the size of the logo.




# COLORS

## PRIMARY COLORS



### FireSeal + Land

RGB: 227 / 6 / 19  
CMYK: 0 / 100 / 100 / 00  
PMS: 485 C  
NCS: 1080-Y80R  
HEX/HTLM: #DA291C



### FireSeal + Land

RGB: 0 / 0 / 0  
CMYK: 0 / 0 / 0 / 100  
PMS: Black C

The black color can be used in saturation between 5 and 100%.



### Marine

RGB: 0 / 119 / 179  
CMYK: 95 / 41 / 10 / 0  
PMS: 7690 C  
NCS: S1560-R90B  
HEX/HTLM: #0077B3



### Marine

RGB: 132 / 117 / 78  
CMYK: 42 / 40 / 68 / 28  
PMS: 871 C

---

## ADDITIONAL COLORS AND DECORATIVE ELEMENTS



RGB: 255 / 205 / 0  
CMYK: 0 / 20 / 93 / 0  
PMS: 116 C



RGB: 0 / 119 / 179  
CMYK: 95 / 41 / 10 / 0  
PMS: 7690 C  
NCS: S1560-R90B  
HEX/HTLM: #0077B3

---

## DECORATIVE ELEMENTS



The FireSeal system originally developed to safeguard nuclear power plants

# TYPOGRAPHY

## PRIMARY FONTS

### DIN 1451 STD

ABCDEFGHIJKLMNOPQRSTUVWXYZÄÖ

abcdefghijklmnopqrstuvwxyzääö1234567890!"#\$%&/'()=?à

### DIN OT

ABCDEFGHIJKLMNOPQRSTUVWXYZÄÖ

abcdefghijklmnopqrstuvwxyzääö

1234567890!"#\$%&/'()=?à

Our main font is DIN 1451 + DIN OT which should be used for all types of texts: headings, leads, body texts, and numbers.

---

## DISPLAY FONT

### OMBUDSMAN STENCIL

ABCDEFGHIJKLMNOPQRSTUVWXYZ

XYZÄÖ1234567890!%&/'()=?

This display font is for single words and short sayings, and to bring a little more personality to long-lasting design elements. For instance for events, signs, and web pages. The font is a support-font and only used for single words or the employee value proposition.

LETTER SPACING: +10

# OFFICE

## PRIMARY FONTS

### FRANKLIN GOTIC

Franklin Gothic Medium

ABCDEFGHIJKLMNOPQRSTUVWXYZÅÄÖ

abcdefghijklmnopqrstuvwxyzåäö

1234567890!"#\$%&/()=?à

Franklin Gothic Regular

ABCDEFGHIJKLMNOPQRSTUVWXYZÅÄÖ

abcdefghijklmnopqrstuvwxyzåäö

1234567890!"#\$%&/()=?à

---

TEMPLATES FOR THE OFFICE SUITE ARE AVAILABLE AT .....

## LAND

## FÖRSTA HJÄLPEN KIT

Allt som behövs för att brandsläcka

### HA ALLTID "FÖRSTA HJÄLPEN" I BILEN

Det är aldrig en bil som är i god och säker skick som inte brandsläcks. Med FireSeals brandsläckande "Första hjälpen" kit blir du den som bilägare för att kunna skydda din bil mot brand och skada. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada.

## BRANDTÄTNINGSKITET

Enkelt att använda, snabbt och effektivt. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada.

| Art nr | Benämning                      |
|--------|--------------------------------|
| 100770 | Kitet - Brandsläckande 3000 ml |

## FLEX BLANKET INSTALLATION KIT

För bilslut och motorblock täpning

- Enkel och snabb installation
- Enkel installation i bilslut och motorblock
- Enkel installation i bilslut och motorblock

**Satsens innehåll:**

- 2 gummiband Flex 200, 200, 200, 200
- 1 bilslut Flex 200, 200, 200, 200
- 1 motorblock Flex 200, 200, 200, 200

| Art nr | Färg | Benämning               |
|--------|------|-------------------------|
| 100771 | Flex | Flex Band, komplett set |
| 100772 | Flex | Flex Band, komplett set |
| 100773 | Flex | Flex Band, komplett set |

## REACTIVE BLANKET INSTALLATION KIT

För motorblock

- Enkel och snabb installation
- Enkel installation i bilslut och motorblock
- Enkel installation i bilslut och motorblock

**Satsens innehåll:**

- 2 gummiband Flex 200, 200, 200, 200
- 1 bilslut Flex 200, 200, 200, 200
- 1 motorblock Flex 200, 200, 200, 200

| Art nr | Färg | Benämning               |
|--------|------|-------------------------|
| 100774 | Flex | Flex Band, komplett set |
| 100775 | Flex | Flex Band, komplett set |
| 100776 | Flex | Flex Band, komplett set |

## TESTADE OCH GODKÄNDA PRODUKTER

Brandsläckare är en viktig del i varje bil och det är viktigt att du har en god och säker bilslut och motorblock täpning. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada.

## FÖRSTA HJÄLPEN KIT

En brandsläckningskit som packat med allt som behövs

Brandsläckare är en viktig del i varje bil och det är viktigt att du har en god och säker bilslut och motorblock täpning. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada. FireSeal Flex Sealant 3000 är ett utmärkt sätt att skydda din bil mot brand och skada.

## MARINE

[illegible]

# PICTURES

## LAND



---

## MARINE





# CONTACT

## CONTACT PERSON

### MARKETING MANAGER

JONAS SVENSSON JONAS.SVENSSON@FIRESEAL.SE +46 70 669 61 99

### DIGITAL MARKETING SPECIALIST

EMELIE JÖRGENSEN EMELIE.JORGENSEN@FIRESEAL.SE +46 73 087 58 39

---

## COMPANY

VAT-NUMBER: SE559072134501

SWEDISH ORG. NO.: 55072-1345

POST ADDRESS: FIRESEAL AB, BOX 7091, SE-164 07 KISTA

DELIVERY ADDRESS: FIRESEAL AB, ESBOGATAN 14, SE-164 74 KISTA

INVOICE MAIL: INVOICE@FIRESEAL.SE

INVOICE POST ADDRESS: FIRESEAL AB, FE11028, 838 82 FRÖSÖN

